

**AMENDMENTS TO THE CLAIMS**

This listing of the claims replaces all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS**

1. (Currently Amended) A method for enabling a user of a mobile device to control notification of events, the method comprising steps of:

~~enabling a user to temporarily enabling-select a first user notification profile defined by notification control options selected by the user of the mobile device; and~~

~~switching automatically to a second user notification profile when a switch condition defined by the user is satisfied, the second user notification profile being defined by preset notification control options.~~

2. (Cancelled)

3. (Currently Amended) The method of claim 2-1 wherein said switch condition is defined in relation to a time parameter.

4. (Currently Amended) The method of claim 2-1 wherein said switch condition is defined in relation to a location parameter.

5. (Currently Amended) The method of claim 2-1 comprising storing the switch condition in association with one of the first and second user notification profiles to facilitate re-use of a stored switch condition.

6. (Original) The method of claim 5 wherein defining the switch condition comprises accessing the stored switch condition for re-use.

7. (Original) The method of claim 1 wherein said first user notification profile comprises options defined to disable user notification of at least some of the events and said second user notification profile comprises options defined to enable user notification of said at least some of

the events whereby the switching automatically enables user notification upon the satisfaction of the switch condition.

8. **(Original)** The method of claim 1 wherein said first user notification profile comprises options defined to enable user notification of at least some of the events and said second user notification profile comprises options defined to disable user notification of said at least some of the events whereby the switching automatically disables user notification upon the satisfaction of the switch condition.

9. **(Currently Amended)** The method of claim 21 comprising:

enabling said first user notification profile to control the notification thereby replacing a previously enabled user notification profile; and

defining said second user notification profile in accordance with said previously enabled user notification profile such that said switching automatically re-enables the previously enabled user notification profile.

10. **(Currently Amended)** A mobile device for managing events, the device comprising:

a user interface for the notification of the events, the notification being controlled by a current one of a plurality of user notification profiles, each profile being defined by notification options, said user interface comprising:

    a profile switch component to automatically switch the current profile to a next profile selected from the plurality of profiles in response to a switch condition being satisfied;

    a profile enablement component to enable a user to selectively enable one of said profiles to be temporarily defined as the current profile and to enable the user to define the switch condition that causes the current profile to switch to the next profile.

11. **(Original)** The device of claim 10 wherein the profile enablement component enables the user to define switch conditions for more than one of said profiles.

12. (Original) The device of claim 11 wherein the profile enablement component defines switch conditions in response to at least one of a time parameter and a device location parameter.
13. (Original) The device of claim 11 wherein the profile enablement component is adapted to enable the user to select one of said profiles to be the current profile.
14. (Original) The device of claim 10 comprising a switch condition monitoring component to monitor the satisfaction of the switch condition to determine the automatic switching.
15. (Original) The device of claim 11 wherein the user interface is adapted to store the switch condition in association with one of the profiles to facilitate re-use of the switch condition.
16. (Original) The device of claim 15 wherein the profile enablement component is adapted to access the stored switch condition for re-use.
17. (Original) The device of claim 10 wherein the profile enablement component comprises a further switch condition that, if satisfied, automatically switches from the next profile to a new next profile .
18. (Original) The device of claim 10 wherein the next profile is defined in accordance with a last profile enabled immediately prior to the current profile such that said profile switch component switches back to the last profile.
19. (Original) The device of claim 10 wherein the profile enablement component can be programmed to temporarily activate one of the plurality of user notification profiles for a user-determined period of time.
20. (Currently Amended) A computer program product including a computer readable medium having a computer program for instructing a processor in a mobile device to control user notification of the events, the computer program comprising:  
  
code for enabling a user to temporarily enable a first user notification profile defined by notification control options selected by a user; and

code for switching automatically to a second user notification profile when a switch condition defined by the user is satisfied, the second user notification profile being defined by preset notification control options.